

# COADIS™ 615

Dispersing agent for industrial coatings

**Non ionic dispersant**

## TYPICAL CHARACTERISTICS

|                     |  |
|---------------------|--|
| Nature              | <b>High molecular weight polycarboxylate copolymer</b> |
| Appearance          | <b>Yellow to brownish liquid</b>                       |
| Solid Content (%)   | <b>40</b>  |
| Active Content (%)  | <b>40</b>  |
| pH                  | <b>4</b>   |
| Specific gravity    | <b>1.07</b>  |
| Neutralization type | <b>Sodium</b>  |
| Solvent             | <b>Water</b>   |

## DESCRIPTION

Coadis™ 615 is a water-based synthetic polycarboxylate dispersant that has been specially designed for industrial coatings and reactive binder systems.

## STANDARD PACKAGING

Other packaging may be available upon request

- 1000L IBC
- 220L Drum
- Bulk

## HANDLING & STORAGE

It should be protected from the effects of weathering and stored between 5 and 40°C.

Once opened, packaging should be resealed immediately after use.

In these conditions, this product should be used within 12 months from delivery.

## HEALTH AND ENVIRONMENTAL DATA

For safe handling please refer to the Safety Data Sheet. For more information about health and environmental data, please contact us.

## MARKET

### Coatings & Inks

- Industrial Coating

## KEY BENEFITS

### FORMULATION

- **Compatibility**
- **Easy handling**
- **Ready to use**



### STORAGE

- **Antisettling**
- **Floating resistance**
- **Viscosity stability**
- **Syneresis resistance**



### FILM PROPERTIES

- **Anticorrosion**
- **Hiding power/Opacity**
- **Water resistance**



- **APEO free**
- **Bacteria resistance**
- **Heavy metal free**
- **Solvent-free**

**Yes**  
**Yes**  
**Yes**  
**Yes**

## PVC

PVC Low  
PVC Mid



## SUITABLE FOR

Inorganic pigments  
Fillers  
Organic pigments

